Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FALL, 1926

Eastern Aurseries,

Incorporated

Holliston, Mass.

Discount of 15%

from prices in this list to Landscape Architects and Park and Cemetery Superintendents.

PRICE LIST

Address all communications to

EASTERN NURSERIES, INC.,

HOLLISTON, MASS.

Telephone, Natick 0345

Telegraph Address, Natick, Mass.



FALL, 1926 Eastern Nurseries, Inc.

Office and Nurseries, HOLLISTON, MASS.

SHIPPING SEASON opens about March 20 to April 1 in the Spring, and continues until May 20 to June 1, and opens about October 1 in the Fall, and continues until the ground freezes. Shipping for summer planting of Evergreens opens about August 15th. Pot-grown plants can be shipped and planted at all times.

ORDERS.—Write plainly and give explicit directions as to address and mode of shipment; otherwise we will forward according to our best judgment. All goods travel at purchaser's risk. We assume no responsibility for the goods after delivery to the forwarding companies.

When losses occur by delays in delivery, claims should be made at once on the forwarding companies.

CLAIMS, to receive consideration, must be made within ten (10) days of receipt of goods.

While we exercise the greatest care to have all Trees, Shrubs and Plants genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that prove untrue, we do not give any warranty, expressed or implied; and in case of an error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods.

PACKING.—We take great care in packing, using damp moss to protect roots. Boxes and bales are charged for at cost.

RATES.—The prices in this list supersede all previous rates, and apply to quantities specified, but two hundred and fifty (250) will be furnished at the thousand rate, forty (40) at the one hundred rate, and five (5) at the ten rate, except in the case of perennials when 25 of one kind will be given at the 100 rate. Specimens personally selected by the purchaser or his representative (or specially selected by us at the request of the purchaser) will be priced according to individual values.

This Price List cancels all previous lists and prices are subject to change without notice.

TERMS, CASH WITH ORDERS, except to such persons as satisfy us as to their responsibility. Bills are due when presented and interest will be charged at the rate of six per cent. on bills remaining unpaid December 1 in Fall and June 1 in Spring.

A Certificate of Inspection will accompany each shipment.

Address all communications to office.

EASTERN NURSERIES, INC., HOLLISTON, MASS.

PRICE LIST

Eastern Nurseries, Inc.,

WILLIAM F. DAWSON, President HENRY S. DAWSON, Vice-President

L. B. DAWSON, Sec.-Treas.

Office and Nurseries at HOLLISTON, MASS.

Located twenty-six miles southwest of Boston.

FALL, 1926

Our Evergreens are in especially fine condition this year. Most of them have been transplanted recently and all of them are in excellent condition for Spring planting. We wish to call special attention to our small Evergreens suitable for hedges, group planting and window-boxes, and to our large specimens for immediate effects. Many of these specimens are of unusual beauty and can be moved on platforms, at special prices, which we will gladly quote upon request.

NOTE.—Look on pages 12 to 19 at our list of Pot-grown Scotch Heather and other ground covers.

A cordial invitation is hereby extended to visit our nursery at any time for the purpose of plant study, or for inspection EASTERN NURSERIES, INC. of saleable stock.

This Catalogue has been corrected in accordance with the new Book of Standardized Plant Names by the American Joint Committee on Horticultural Nomenclature

EVERGREEN TREES AND SHRUBS

The prices of Evergreens include the burlapping of balls up to 5 feet.

Note: On all specimen Evergreens over 12 ft. price will include canvas and platform when dug. 100

Each

Ables concolor WHITE FIR

All beautiful specimens 14 to 18 ft. . . . \$50.00 to \$75.00 homolepis (brachyphylla) NIKO FIR 16 to 20 ft. spec. . . 50.00 to 75.00 nordmanniana Nordmann's Fir 18 ft. spec. 10

veitchii VEITCH FIR

18 to 24 ft. spec. \$60.00 to 100.00 Andromeda floribunda See Pieris

| EVERGREENS. | 3 |
|--|-----|
| Each 10 10 | 10 |
| Azalea ledifolia (indica alba) Snow Azalea | |
| 8 to 10 in. bushy 4 in. pots \$1.50 \$12.50 \$115 | .00 |
| See also pot-grown plants | |
| Hazel Dawson red New Dawson Hybrid |) |
| 8 to 10 in. bushy 4 in. pots . 4.00 | |
| Chamaecyparis obtusa Obtuse-Leaved Japanese Cypres | SS |
| 3 to $3\frac{1}{2}$ ft 5.00 | |
| pisifera aurea | |
| GOLDEN SAWARA RETINOSPO | RA |
| 5 to 6 ft 9.00 | |
| filifera THREAD RETINOSPORA | |
| 3 to 4 ft 7.00 5 to 6 ft | |
| 3 | |
| plumosa Plume Retinospora | |
| | |
| 2 to 3 ft 4.50 12 to 14 ft.×5-6 ft. 25.00 to 40.00 | |
| aurea | |
| Golden Plume Retinospo | RA |
| 10 to 12 ft. XX spec 20.00 | |
| 12 to 14 ft. XX spec 25.00 | |
| Euonymus radicans acutus Sharpleaf Wintercreeper | |
| 4 yr. str. f. g | |
| carrieri Glossy Wintercreeper | |
| 2 vr. strong | |
| 3 yr. " | |
| large specimens 10 to 12.00 | |
| reticulatus White-vein Wintercreen | PER |
| 3 yr | |
| vegetus Bigleaf Wintercreeper | |
| 3 yr. strong 6.00 | |
| Hex glabra Inkberry | |
| 12 to 15 in 2.00 | |
| Juniperus chinensis pfitzeriana Pfitzer's Juniper | |
| 2 to 2½ ft 6.50 63.00 | |
| 2½ to 3 ft 7.50 70.00 | |
| 3 10 32 11. | |
| 3½ to 4 ft. " 15.00 145.00 chinensis sargenti Sargent Trailing Juniper | 4/4 |
| 8 to 12 in 350 | - |
| I to 1½ ft 4.50 42.00 | |
| 1 to 2 ft 6.00 | |
| 2½ to 3 ft. spread 12.50 | |
| 2 to 3½ ft. spread 16.00 | |
| chinensis (virginalis) globosa | |
| GLOBE CHINESE JUNIPER | |
| 15 to 18 in. spread 6.50 | |
| 18 to 24 in. " 800 | |
| Juniperus communis Common Juniper | |
| 3 to 4 ft 3.50 33.00 | |
| Note. The upright Juniper is one of the very har- | |
| diest evergreens, and one of the most satisfactory | |
| for the New England climate. It keeps its color all | |
| winter, and fruits when still quite small. | |

| | - | 40 | 400 |
|--|---------|------------|-----|
| Juniperus depressa aurea Golden Jun | Each | 10 | 100 |
| 18 to 24 in. spread | | \$ 1 | ł. |
| 24 to 30 in. " | | W 1 | |
| horizontalis Trailing Junie | | | |
| 15 to 18 in. spread | | 27.50 | |
| sabina Savin Juniper | | | |
| 1 to 2 ft | 4.50 | | |
| tamariscifolia Tamai | RI SAVI | N | |
| 8 to 12 in | 3.00 | | |
| 1 to 1½ ft. spread | 4.00 | | |
| 1 to 2 ft. " 2 to 2 tt. spread | 5.00 | | |
| virginiana Red Cedar Nu | 7.50 | rown | |
| | | ;10WII | |
| 9 to 10 ft | 35.00 | | |
| 12 to 30 ft 35 to 1 | 25.00 | | |
| Collected. 10 to 30 ft. Prices on | applica | tion. | |
| Note. Among the above are man | | | me |
| specimens, particularly among the lar | | | |
| were moved into the Nursery a few ye | | | |
| will be moved on platforms. | ars ago | ttiid Will | CII |
| glauca Silver I | EDCED | A D | |
| $2\frac{1}{2}$ to 3 ft | 7.00 | AR | |
| 10 to 12 ft | 35.00 | | |
| 12 to 14 ft | 50.00 | | |
| schottl Schott F | | AR | |
| 21 to 3 ft. XX spec | | | |
| tripartita Fount | AIN RE | DCEDAR | |
| 3 to 4 ft. \times 5-6 spec | 35.00 | | |
| Kalmia latifolia Mountain Laurel | | | |
| 15 to 18 in | 2.50 | 22.50 | |
| 1½ to 2 ft | 2.75 | | |
| 2 to 2½ ft | 3.25 | 30.00 | |
| te to 18 in class | 1 HOE | 18.00 | |
| 15 to 18 in. clps | 1.00 | 26.00 | |
| 2 to 2½ ft | 4.00 | 36.00 | |
| Picea albertiana Alberta Spruce | • | | |
| 4 to 6 in | 1.50 | 14.00 | |
| A charming symmetrical evergreen | , which | grows | 50 |
| slowly that it will stay in scale for | | | |
| alcockiana Alcock Spruce | , , | | |
| 0 | 50.00 | | |
| canadensis (alba) WHITE or CAT | | E | |
| 20 to 24 ft 75 to | | | |
| excelsa Norway Spruce | | | |
| 15 to 18 in | | 15.00 | |
| 18 to 24 in | 2.00 | 18.00 | |
| 24 to 30 in | 2.50 | 22.50 | |
| 18 to 20 ft 60 to | | u an | |
| excelsa compacta Globe Norw. 3 to 4 ft. × 3-3½ ft. tr. 1920 | AY SPR | UCE | |
| 3 to 4 ft. × 3-3\frac{1}{2} ft. tr. 1920 5 to 6 ft. XXX spec. 40 to | 60.00 | | |
| , | 7 | | |

| Each 10 100 |
|---|
| Picea excelsa parviformis DWARF PYRAMID SPRUCE |
| 5 to 5½ ft. × 5½-6 ft. spread |
| spec. tr. 1920 \$50.00 \$ |
| remonti REMONT DWARF SPRUCE |
| 2 to 2½ ft |
| Note. Some of our Dwarf Spruce are wonderful |
| |
| specimens, and all of them have been moved recently. |
| For formal notes or for the foreground of Evergreen |
| plantings these plants are admirably adapted |
| orientalis Oriental Spruce |
| 6 to 7 ft. spec 20.00 |
| 7 to 8 ft 35.00 8 to 10 ft 35 to 50.00 |
| 2 12 22 20 20 20 20 20 20 20 20 20 20 20 20 |
| pungens Colorado Spruce 12 to 14 ft. spec. tr. 1920 40 to 50.00 |
| 14 to 16 ft. spec. tr. 1920 50 to 60.00 |
| 16 to 18 ft. spec. tr. 1920 60 to 75.00 |
| glauca Colorado Blue Spruce |
| 10 to 12 ft. tr. 1920 40.00 |
| 12 to 14 ft. tr. 1920 50.00 |
| 14 to 16 ft. tr. 1920 60 to 75.00 |
| 16 to 18 ft. tr. 1920 75 to 90.00 |
| kosteri Koster Blue Spruce |
| 8 to 10 ft 40 to 50.00 10 to 12 ft 60 to 80.00 |
| 10 to 12 ft 60 to 80.00 12 to 14 ft 80 to 100.00 |
| 14 to 16 ft 100 to 150.00 |
| All our specimens of Colorado Spruce, both the Blue |
| forms and the Green forms, were transplanted three years |
| ago and are now in an ideal condition for planting in |
| |
| permanent places. |
| Pieris (Andromeda) floribunda Mountain Andromeda 15 to 18 in. spread 5.00 |
| Pinus cembra Swiss Stone Pine |
| 10 to 14 ft. spec 75.00 |
| The Swiss Stone Pine is one of the most beautiful |
| of all pines for formal work. The tree is very slow |
| - |
| growing, consequently is important for use as accents |
| where one wishes an accent which will stay in scale |
| many years. Our plants are all beautiful specimens. |
| excelsa Himalayan Pine |
| $1\frac{1}{2}$ to 2 ft. \times $2\frac{1}{2}$ ft. 7.50 to 10.00 |
| montana mughus Mugho or Dwarf Mountain Pine |
| 4 to 5 ft. spread 16.00 |
| 5 to 6 ft spread 22.00 6 to 7 ft. spread 25.00 |
| Our entire block of Mugho Pines was transplanted |
| three years ago, and they are now in wonderful condi- |

Our entire block of Mugho Pines was transplanted three years ago, and they are now in wonderful condition for planting. Among them are many very fine specimens of the various types of this useful plant.

| Pinus resinosa RED PINE | Each | 10 100 |
|---------------------------------------|--------|--------|
| 2 to 3 ft | \$3.50 | \$ \$ |
| 3 to 4 ft | 5.00 | " " |
| strobus White Pine | | |
| 6 to 7 ft. tr.pl. 1920 bushy | 6.00 | |
| 7 to 8 ft. " " " | 7.50 | |
| 0 10 10 10 | 10.00 | |
| 10 to 15 ft. spec. Prices on a | | on |
| Pseudolarix kaempferi Golden Larc | H | |
| 8 to 9 ft. spec. B & B | 25.00 | |
| Pseudotsuga douglasi Douglas Fir | , | |
| 8 to 10 ft | 16.00 | |
| 10 to 12 ft | 18.00 | |
| · | 20.00 | |
| Rhododendron hybrids, all well budded | plants | |
| Abraham Lincoln Fine red | | |
| 3 ft | 10.00 | |
| Album ciegans Large white | | - 1 |
| 3 ft | 10.00 | |
| 3½ ft | 12.00 | - A |
| 4 ft. heavy | 15.00 | |
| Catawbiense alba White | | |
| 2 to 2½ ft | 7.00 | |
| Charles Dickens Scarlet early | | |
| 2 ft | 6.00 | |
| $2\frac{1}{2}$ ft | 8.00 | |
| Delicatissimum Blush white | | |
| 3 ft | 10.00 | |
| E. S. Rand Rich crimson | | |
| 2 ft | 6.50 | |
| Everestianum Rosy lilac | | |
| 2 ft | 6.50 | |
| 2½ ft | 8.50 | |
| Flushing | | |
| $2\frac{1}{2}$ ft | 8.50 | |
| General Grant Red | | |
| 2½ ft | 8.50 | |
| Grandiflorum Clear rose | | |
| 2½ ft | 8.00 | |
| 3 ft | 10.00 | |
| $3\frac{1}{2}$ ft | 15.00 | |
| Kettledrum Rich crimson | | |
| 2 ft | 6.50 | |
| 2 1 ft | 8.50 | |
| Lee's Dark purple | | |
| 2 ft | 6.50 | |
| 2½ ft | 8.50 | |
| Memoir Blush white | | |
| $2\frac{1}{2}$ ft | 8.50 | |
| Mrs. Charles S. Sargent Pink | | |
| | 10.00 | |
| President Lincoln Rosy crimson | | |
| 2 ft | 6.50 | |
| | - | |

Each

| | Each | 10 | 100 |
|---|----------|---------------|--------|
| Rhododendron hybrids | | | |
| Purpureum elegans Best purple | | | |
| | 5.00 | \$ | \$ |
| | 3.00 | 1P 1 | φ |
| Roseum elegans Deep rosy pink | 0 | | |
| 2 ft | 8.50 | | |
| 2½ ft | 10.00 | | |
| 3 ft | 15.00 | | |
| laetevirens (wilsonianum) Wilson | RHODO | DENDR | ON |
| 15 in. × 15-18 in | 5.00 | | |
| $18 \text{ in.} \times 1\frac{7}{2} \text{ 2 ft.}$ | 6.00 | | |
| Rhododendron maximum Rose Bay Ri | HODOD | ENDRON | c |
| | порор | ENDRON | 3 |
| nursery grown | | | |
| 1½ to 2 ft. XX broad | 3.00 | 27.00 | 260.00 |
| 2 to 2½ ft. " " | 4.00 | 36.0 0 | 350.00 |
| 2½ to 3 ft. " " | 5.00 | 45.00 | 435.00 |
| 3 to 3½ ft. " " | 6.00 | 55.00 | 525.00 |
| 3½ to 4 ft. " " | 7.00 | 63.00 | 600.00 |
| 4 to 4½ ft. " " | 8.00 | 78.00 | |
| 4½ to 5 ft. " " | 10.00 | 95.00 | |
| ς to ς f ft. " " | 72.00 | 115.00 | |
| 51 to 6 ft. " " | 15.00 | J. | |
| <u> </u> | | g point | in |
| | mppm | g point | . 111 |
| Pennsylvania in carload lots. | | | |
| to 5 ft. mixed clumps at 5 to 8 ft. XXX broad speci | \$500 pe | r carloa | d |
| 5 to 8 ft. XXX broad speci | men cl | umps | |
| Prices on application | | | |
| We make a specialty of collecting | | dodend | ron |
| Maximum in carload lots. The p | | | |
| | | | |
| from 11 to 5 ft. From 65 to 350 plan | | | |
| a car, depending upon the size of the | e plants | s. Wes | hip |
| only first class plants. | | | - |
| Taxus canadensis Canada Yew | | | |
| 12 to 18 in | 2.50 | 22.00 | |
| 18 to 24 in | 3.00 | 22.00 | |
| | 3.00 | | |
| - · · · · · · · · · · · · · · · · · · · | 0 = 5 | -6 | |
| 12-15 in | 2.75 | 26.00 | |
| 15-18 in. spread | 3.25 | 30.00 | |
| 10-24 111. | 4.50 | 42.00 | |
| 24-30 m. | 8.00 | | |
| 30-30 m. | 12.00 | 110.00 | |
| 3-39 11. | 18.00 | | |
| 32 4 10. | 25.00 | | |
| Our Taxus cuspidata are all heav | | | |
| transplanted. We believe there is | no fin | er stock | cof |
| this indispensable Evergreen in th | | | |
| densa Compact Dwa | | | VEW |
| 8–12 in. spread | 4.00 | ANESE | LEW |
| 12-15 in. " | 5.00 | | |
| 15-18 in. " | 8.00 | | |
| ., | 0.00 | | |
| | | | |

| | | | 4 | (1 | .) D | Each | 10 | 100 |
|-------|-------------------|-----|---------|------------------|-----------|---------|---------|----------|
| laxus | cusp | nda | ta nana | (brevifoli | | | | |
| | | | | | spread | | | \$ |
| | | | | 18-21 in. | | 7.00 | 65.00 | |
| | | | | 21-24 in. | | 8.00 | 70.00 | |
| | | | | 24-30 in. | | | | |
| | | | | 6 in | 12 to | 15.00 | | |
| | | | | 30-36 in. | | | | |
| | | | - | 36-42 in. | 18- to | 20.00 | | |
| | | | | 30-42 111. | - | 20.00 | | |
| | | | | , - | 25 to | | | |
| nuja | | | | MERICAN | ARBOR | | | |
| | 18 | | 24 in. | | | 2.50 | 24.00 | |
| | 2 | to | 3 ft. | | | 3.00 | 27.00 | |
| | 4 | to | 5 ft. | 100 | | 5.50 | 53.00 | |
| | 6 | to | 7 ft. | spec. | | 8.00 | | |
| | 7 | to | 8 ft. | | | 10.00 | | |
| | 8 | to | 9 ft. | | | 12.00 | | |
| | 9 | to | 10 ft. | " | | 15.00 | | |
| | II | to | 12 ft. | | | 35.00 | | |
| | | | | ichanani | BUCHA | NAN AF | BOR VI | TAE |
| | $2\frac{1}{2}$ | to | | spec | | 4.00 | | |
| | 10 | to | 12 ft. | | . 35 to | 40.00 | | |
| | | | do | uglasi py | ramidal | is | | |
| | | | 1 | DOUGLAS | PYRAM | IDAL AF | RBOR VI | TAE . |
| | $I^{\frac{1}{2}}$ | to | 2 ft. | | | 2.00 | 17.50 | |
| | 2 | to | 21 ft. | | | 3.00 | 25.00 | |
| | $2\frac{1}{2}$ | to | 3 ft. | | | 3.50 | 30.00 | |
| | 3 | to | 3½ ft. | | | 4.C0 | _ | |
| | 31/2 | to | 4 ft. | | | 4.50 | | |
| | 4 | to | 4½ ft. | | | 5.50 | | 1.4 |
| | $4^{\frac{1}{2}}$ | to | 5 ft. | | | 7.00 | | . 4 |
| | 5 | to | 5½ ft. | | | 8.50 | | |
| | 6 | to | 7 ft. | | . 15 to | 20.00 | | |
| | | | 12 ft. | extra spe | C | 50.00 | | |
| | | | elly | vangerian | а Том | Тнимв | ARBOR | VITAI |
| | 2 | to | 3 ft. | | | 4.00 | | |
| | 3 | to | | \times 3-4 ft. | | 7.50 | | |
| | 5 | to | | X 4-5 ft. | | 10.00 | | |
| | | | | formis | | | | |
| | | | | | PING. OI | RIENTAL | ARBOI | VITA |
| | 2 | to | 3 ft. | | | 4.50 | 42.00 | . , 1111 |
| | 3 | to | 4 ft. | | | 5.00 | 48.00 | |
| | J | | -1 | bosa Gi | ODE AL | - | - | TITEAT |
| | 10 | to | Ÿ | nusa Gi | LOBE AM | | | VIIAI |
| | 10 12 | | | | | 2.25 | 20.00 | |
| | | to | J . | | | 2.50 | 22.50 | |
| | 15 | to | | · | | 3.00 | 27.00 | |
| | Lar | ge | specim | | . 25 to | 50.00 | | |
| | | | | veyi Ho | VEY ARI | | | |
| | I 2 | to | 15 in. | | | 1.25 | 10.00 | |
| | 15 | | 18 in. | | | 2.00 | 18.00 | |
| | 18 | | 24 in. | | | 2.50 | 22.00 | 175.0 |
| | 4 | to | 5 ft. | XX fine s | pec. 6 to | 15.00 | | |

| | | | | | | | | | | | | | 9 |
|-------|----------|-----|----------|-----|---------------|------|-------------|-----|----|------|---------|----------|--------|
| | | | | | | | | | | | Each | 10 | 100 |
| Thuja | | | | | | | | | | | GEM A | RBOR V | ITAE |
| | 8 | | I 2 | | spi | read | | | • | | \$2.50 | \$20.00 | \$ |
| | 12 | to | 15 18 | in. | • | ٠. | | | ٠ | | 3.00 | | |
| | 15 | | | in. | • | | | | • | | 4.00 | | |
| | 18 | to | 24 | in. | | | | | | | 7.50 | | |
| | | | | lu | tea | G | EC | RG | E | PE. | ABODY . | ARBOR ' | VITAE |
| | 2 | to | 3 | ft. | | | | | | | 5.00 | 47.50 | |
| | 3 | to | 4 | ft. | | | | | | | 6.00 | 50.00 | |
| | 5 | to | 6 | ft. | | | | | | | 7 50 | 70.00 | |
| | 8 | | 10 | ft. | | | | | | | 20.00 | , | |
| | | | | | rra | mid | all | 9 | p | VRA | | Arbor | VITAE |
| | 2 | to | 21 | ft. | | | u.i. | | • | IKA | 5.00 | RECOR | VIIAL |
| | 3 6 | to | 32 | ft. | • | | • | • | • | | *10.00 | | |
| | | to | 7 8 | ft. | • | | • | | | | | | |
| | 7 8 | | | _ | • | | • | • • | • | • | 15.00 | | |
| | 0 | to | 9 | ft. | | | • | • : | • | | 20.00 | | |
| | | | | | idi | K) | EH |) A | R | BOR | VITAE | | |
| | 12 | | 15 | in. | • | | ٠ | • | • | • • | 2.75 | 26.00 | |
| | 18 | | 24 | in. | | | ٠ | | ٠ | | 3.25 | 30.00 | |
| | 2 | to | 3 | ft. | . • | | • | | | | 3.50 | 33.00 | |
| | 3 | to | 4 | | | avy | | | | | 7.50 | | |
| | 4 | to | - | | | XX | | | | | 20.00 | | |
| | 5 | to | 51/2 | ft. | X_{λ} | XX | $_{\rm sp}$ | ec. | | | 25.00 | | |
| | | | | ro | 8er | itha | 11 | R | 05 | SEN | THAL A | RBOR V | ITAE |
| | 12 | to | 15 | in. | | | | | | | 3.00 | 28.00 | |
| | 15 | to | 18 | in. | | | | | | | 3.25 | 30.00 | |
| | 24 | to | 30 | in. | | | | | | | 4.50 | Ü | |
| | 30 | | 36 | in. | | | | | , | | 6.00 | | |
| | 36 | | 42 | in. | | | | | | | 7.50 | | |
| | Ü | | • | To | m | Thu | ım | h | | | | | |
| | 18 | to | 24 | in. | | | | | | | 5.00 | | |
| | | •0 | | | **** | iene | an. | , | 17 | | - | ARBOR V | TITLAR |
| | _ | +0 | | ft. | 1 42 | iche | аш | a | V | EKI | | rkbok , | VIIAE |
| | 2 | to | 3 | ft. | • | | • | • | • | | 3.50 | | |
| | 5 | to | | | • | | • | | • | | 8.00 | | |
| | 7 | to | 8 | ft. | • | | • | • • | • | | 15.00 | | |
| | 10 | | 12 | ft. | | | ٠ | • | • | | 30.00 | | |
| | I 2 | ιο | 14 | ft. | ٠ | | ٠. | | • | ٠. | 40.00 | | |
| | | | | | | ana | | | | E A | RBOR V | | |
| | 15 | | 18 | in. | • | | ۰ | | • | | 3.00 | 27.00 | |
| | 18 | | 24 | in. | ٠ | | ٠ | • | | | 3.50 | 33.00 | |
| | 4 | to | 5 | | | ec. | | | | | 8.00 | | |
| | 5 | to | 6 | ft. | X. | X st | ec | .16 | ٠5 | o to | 18.00 | | |
| | | to | 7 | Įt. | Χ. | XX | sp | ec. | | | 25.00 | | |
| | 7 | to | 8 | ft. | | 66 | | 6 | | o to | | | |
| | | | | V | /ax | cen | G | OL | D | EN . | ARBOR | VITAE | |
| W | 2 | to | 21/2 | ft. | | | | | | | 2.50 | 22.00 | |
| | 6 | to | 7 | | | 7-1 | Bft | . X | X | X s | pec. | | |
| | | | , | | | | | | | | 60.00 | | |
| | | | | w | იიძ | lwar | di | | - | | | | |
| | | | | ** | | | | VAI | RT | G | OBE A | RBOR V | ITAE |
| | 12 | to | 15 | in | | | - | | | | | | |
| | | | - | | | | | | | | | trancula | ntad |
| 1 | viost | OI. | our | Ar | וטטו | ı V | ıta | es, | n | | . Deen | transpla | inteu |

Most of our Arbor Vitaes have been transplanted within the last two years, and are in prime condition for hedges or specimens.

| | | | | | | | | | | | | | Each | | 10 | 100 |
|-------|----------------|------|------|-----|----|----|----|-----|-----|-----|---|----|---------------|----|----|-----|
| Tsuga | cana | ade | nsis | A | ME | ER | IC | AN | i | HE | М | LO | CK | | | |
| • | 21/2 | to | 3 | ft. | | | .4 | , | ,0 | | | | \$4.50 | \$ | \$ | |
| | 3 | to | 31 | ft. | | | | | ,0 | .* | | , | 6.00 | | | |
| | 31 | to | 4 | ft. | | | | , | | | | | 7.50 25.00 | | | |
| | 8 | to | 9 | ft. | | | ,. | | , 4 | , . | | | 25.00 | | | |
| | 9 | to | 10 | ft. | | | | | ٠ | | | | 30.00 | | | |
| | caro | lin, | lana | C | ΑF | RO | LI | N A | I | I E | M | LO | CK | | | |
| | 2 | to | 21 | ft. | | | | | ٠. | | | | 3.50 | | | |
| | 3 | to | 31 | ft. | | | | | | | | | 6.00 | | | |
| | $3\frac{1}{2}$ | to | 4 | ft. | | | | | | | | | 7.50 | | | |
| _ | | | | | | | | | | | | | _ | - | | _ |

Our Hemlocks, too, have been transplanted recently and all are beautiful, broad, specimens, which came through last winter unharmed.

LIST OF POT-GROWN PLANTS

Which can be shipped and planted at all times

| | Each | 10 | 100 |
|--|--------|---------|-------|
| Aethionema grandiflorum superba Pers | IAN ST | CONECRE | ESS |
| 2 in. pots | \$.60 | \$ 5.00 | \$ |
| Althionema grandiflorum var. glauca | | | |
| 2 in. pots | .60 | 5.00 | |
| Ampelopsis tricuspidata (veitchi) JAPANI | ESE CE | REEPER | |
| 3 in. pots 2 yr | .75 | 7.00 | 60.00 |
| Anisostichus capreolata Crossvine | | | |
| $2\frac{1}{2}$ in. pots | .75 | 7.00 | |
| Arctostaphylos uva-ursi BEAR-BERRY | | | |
| 21 in. pots 1 yr | | 3.50 | 30.00 |
| 21 in. pots 2 yr | | | 45.00 |
| 2½ in. pots 3 yr | -75 | 7.00 | 50.00 |
| 4 in. pots heavy | 1.25 | 10.00 | 90.00 |
| Azalea ledifolia (indica alba) Snow Azal | LEA | | |
| 4 in. pots | 1.50 | 12.50 | |
| Hazel Dawson Dawson Hybrid | new | | |
| 4 in. pots | 4.00 | | |
| indica pink | | | |
| 4 in. pots | 2.00 | | |
| obtusa kiusiana Kurume Azale | | | |
| 0 1 1 1 1 1 1 1 17 | | 1 6 | ** |

Originated in the city of Kurume, on the Island of Kyashu, Japan, nearly 100 years ago, these beautiful plants have been practically unknown in Europe and America until brought to the attention of the public a few years ago by Mr. E. H. Wilson, of the Arnold Arboretum. The plants of this group are of dwarf, compact habit, with small, deep green, glossy, evergreen foliage, and small flowers, borne in great profusion, and covering the plants for many weeks with their fairy clouds of exquisite color. Many of the varieties have flowers known as "hose-inhose," that is, having a petaloid calyx and giving the effect of one corolla set within another.

Kurume Azaleas are hardy on Long Island, New York, and thence south. In the north these plants are of untold value for forcing for winter bloom in conservatory or greenhouse. From a collection of over 200 sorts Japanese experts have selected what they consider the best six varieties. We are now offering for sale plants of these six varieties, raised from cuttings. With one exception the varieties offered have hose-in-hose flowers.

The six varieties referred to are:

TAKASAGO, pure pink, hose-in-hose
AZUMA-KAGAMI, deep pink, hose-in-hose
KIRIN, deep rose, shading to silvery rose, hose in-hose
KUMO-NO-NYE, pure salmon, single
KURAI-NO-HIMO, pure carmine, hose-in-hose
KURENO-YUKI, pure white, hose-in-hose

\$18.00 per set of one each of the above plants 4 years old, in 5-inch pots, packed for shipment.

Bruckenthalia spiculifolia SPIKE HEATH. Flowers pink, blooming from June to August. Grows 6 in. high 4 in. pots \$1.50 \$13.50 \$

Buddleia davidi Orange-eye Butterfly Bush

Callicarpa dichotoma Chinese Beautyberry in. pots .75

Calluna vulgaris SCOTCH HEATHER, and named varieties Scotch Heather, the "Bonnie Purple Heather" of song and verse, is a lovely, low-growing evergreen shrub, 6 in. to 3 ft. in height, of the Heath Family, covered in midsummer with small, bell-shaped purple flowers, borne on slender spikes. These flowers stay in good condition for some weeks, and if cut while fresh will hold their color and charm all winter. Honey bees, too, are attracted to Scotch Heather and make-from it a honey that is considered very choice. This plant is widely known as invaluable for planting in full sun in sandy soil; it is also most attractive as an edging to beds of Rho-dodendrons, Laurel, etc., and in Rock Gardens. This little plant gives most satisfaction when planted from pots. Be-sides the common purple Heather there are many varieties which give variation in the height of plant, color of flowers. and season of bloom. Below we offer a list of varieties, all of which are pot grown, sturdy plants. 21 and 3 in. pots

> flora plena A double-flowered form of our plain Scotch Bonnie Purple Heather. 21 and 3 in. pots

var. alba WHITE SCOTCH HEATHER, early blooming, with light green foliage, white flowers, grows 12 to 15 inches. 21 and 3 in. pots

var. alba elata TALL WHITE HEATHER. Late blooming, very tall, straight growth. Foliage soft dark green, flowers white, grows 18 to 24 in. 21 and 3 in. pots

var. alba erecta TALL WHITE HEATHER. Late blooming, foliage dark green, flowers white, grows 18 in. 21 and 3 in. pots

var. alba hammondi HAMMOND WHITE HEATHER. Midseason, tall upright growth, foliage rich deep green, flowers white, grows 18 to 24 in. high. 21 and 3 in. pots

DWARF WHITE HEATHER. Mid-season var. alba minor tall bushy growth, 15-20 in. high, foliage very fine light green; flowers white. 21 and 3 in. pots

var. alba pilosa Late blooming, tall growth 18-20 in. high, foliage of soft grayish green, flowers white. 21 and 3 in. pots

var. alba rigida BRUSH HEATHER. Late, low rigid growth, foliage rich deep green, flowers white. pots

var alba searlii Foliage golden, not very noticeable in winter, nor objectionably tall, grows 18 to 20 inches. 2½ in. pots

var. alba spicata TALL WHITE HEATHER. New. Grows 20 to 24 in. high. 21 and 3 in. pots

Calluna vulgaris

- var. alporti Alport Heather. Late blooming, tall straight growth to 24 in. foliage deep rich green, turning purple in autumn. Flowers rosy carmine. 2½ and 3 in. pots
- var. argentea Flowers pink, foliage whitish, yellow green. Grows 15 to 18 in. high. 2½ in. pots
- var. aurea Golden foliage and pink flowers, one of the best of those with colored foliage. 2½ and 3 in. pots
- var. compacta Late blooming. Low compact, moss-like growth, 4 to 6 in. high, of bright, rich green. Flowers pale lavender. 21 in. pots
- var. cuprea Mid-season. Straight medium growth 12 to 15 in. high, foliage bright, almost yellowish green, turning to rich glowing red in autumn. Flowers purple. 2½ and 3 in. pots
- var. hirsuta (tomentosa). WOOLLY HEATHER. Midseason. Low compact growth. 4 to 7 in. high, foliage soft gray, flowers purple. 2½ and 3 in. pots
- var. humilis Low growing, with rich green foliage. Flowers, midseason, white. 2½ in, pots
- var. hypnoides Late blooming. Low-spreading growth, 6 to 12 in. high. Foliage soft deep green, flowers deep pink. 2\frac{1}{2} and 3 in. pots
- var. monstrosa Loose growth. Flowers pink. 2½ in. pots var. rosea Mid-season. Tall, straight-growing, with delicate pink flowers. 2½ and 3 in. pots
- var. rubra RED HEATHER. Early blooming, with low spreading growth, 6 to 12 in. high. Foliage soft green turning purple in autumn. Flowers rosy carmine. 2½ and 3 in. pots
- var. tenella SLENDER HEATHER. Early blooming. Low growth with slender spikes of dainty lavender flowers. 2½ and 3 in. pots.
- var. variegata Very bright, whitish green foliage, pink flowers, grows 15 to 20 in. high. 2½ in. pots

Prices on Heather and varieties: 2½ in. pots \$.50 \$ 4.50 \$36.00

- Clematis montana rubens Pink
- 4 in. pots 2.00 18.00 Corema comradi Broom Crowberry
- 2½ in. pots 45.00
- Coronilla emerus Scorpion-senna
 3 in. pots 1.00 8

Note: The Cotoneasters are among the most important groups of hardy plants which have recently been brought before the public. All of them have attractive foliage and conspicuous berries. Of those listed below C. adpressa, horizontalis and its variety perpusilla, and C. microphylla are of low-spreading growth, have small

Each 10 glossy, evergreen-like foliage and bright red berries which stay on the shrubs well into the winter. plants of this group of Cotoneaster are particularly adaptable for use in rockery, on the edge of low shrubberies or op slopes. C. Dielsiana, divaricata and salicifolia floccosa are of more shrub-like growth, with long graceful branches, glossy leaves and bright red berries. All of these plants are hardy and do well in any good well-drained garden soil, but require plenty of water during the first year after transplanting, and take hold much more satisfactorily when transplanted from pots than from the field. Cotoneaster adpressa Creeping Cotoneaster 3 yr. 3 in. pots \$1 65 \$14.00 \$ 4 yr. 4 in. pots 2.25 20.00 buxifolia vellaea New

| | 4 in. pots | 2 50 | | |
|---------|-------------------------------|-------|--------|--------|
| | | | | |
| | Dammeri TRAILING COTONEA | | | |
| | 3 in. pots | 1.50 | 14.00 | |
| | dielsiana Diels Cotoneaste | ER | | |
| | 3 yr. 3 in. pots | 1.25 | 10.00 | |
| | 3 yr. 4 in. pots | 2.00 | 15.00 | |
| | dielsiana elegans | | | |
| | 3 yr. 3 in. pots | | 10.00 | |
| | 3 yr. 4 in. pots | | | |
| | divaricata Spreading Cotone | | | |
| | 3 yr. 3 in. pots | .85 | 7.50 | 65.00 |
| | 3 yr. 4 in. pots | 1.25 | | |
| | gracilis New | | | |
| | 4 in. pots | 1.50 | | |
| | horizontalis ROCK COTONEAS: | TER | | |
| | 3 yr. 3 in. pots | .8o | 7.00 | 65.00 |
| | 3 yr. 4 in. pots | 1.50 | | |
| | var. apiculata | | | |
| | 3 in. pots | 1.50 | 13.50 | 125.00 |
| | 4 in. pots | 2.25 | 20.00 | |
| | perpusilla | | | |
| | 3 yr. 3 in. pots | 1.00 | 8.00 | 65.00 |
| | 3 yr. 4 in. pots | 1.50 | 13.50 | |
| | microphylla Rockspray | | | |
| | 3 yr. 3 in. pots | .80 | 7.00 | 65.00 |
| | 3 yr. 4 in. pots XX str | 1.40 | 11.50 | 100.00 |
| | racemiflora soongarica | | | |
| | 4 in. pots | 2.00 | | |
| | salicifolia floccosa Willow L | EAF (| COTONE | ASTER |
| | 3 yr. 3 in. pots | | | |
| | 3 yr. 4 in. pots | 2.00 | 18.00 | |
| | wilsoni Wilson Cotoneaste | | | |
| | 3 yr. 3 in. pots | | 9.00 | |
| Cytisus | purgans PROVENCE BROOM | | , | |
| -5 -3 | $2\frac{1}{2}$ in. pots | 1.00 | 8.00 | |
| | scorparius Scotch Broom | | | |
| | 2½ in. pots | .75 | 7.00 | |
| DI | TO I TO I | | -1 | |

| TOT-GROWN | 4 60111 | 1 2 0 | | *3 |
|---|---------|------------|--------------|----------|
| | | ach | 10 | 100 |
| Daphne cneorum GARLAND FLOW | | ۷- | A | |
| 3 in. pots \dots 3 $\frac{1}{2}$ in. pots \dots . | · · * | .60 | \$ 5.50 | * |
| | | .75 | 7.00 | |
| Dianthus plumarius CLOVE PINK | | | | |
| 2½ in. pots | | .35 | 3.00 | 25.00 |
| Dorycnium hirsutum GRAY FOLIA | | 6- | | |
| 2½ in. pots | | .60 | 5.50 | 50.00 |
| Erica carnea Spring Heath | | | | |
| 2½ in. pots | | .50 .65 | 4.75 | 45.00 |
| 3 in. pots | | .05 | 6.00 | 50 00 |
| stricta Corsican Heath | | ~ " | 7.00 | |
| 3 in. pots | | .75 | 7.00 | |
| tetralix Cross-Leaf Heath | | .60 | | |
| - • | | .00 | 5.00 | 45.00 |
| vagans Cornish Heath | | | 6 00 | |
| 3 in. pots | | .70 | 6. 50 | 50.00 |
| Euonymus radicans acutus Sharp | | | _ | ER |
| 3 in. pots 3 yr. XX stron | g • | -75 | 6.00 | |
| colorata New | | | | |
| 3 in. pots | | .75 | 7.00 | |
| kewensis Bab | | | | |
| 3 in pots | | .60 | 5.50 | 50.00 |
| Genista pilosa Silkyleaf Broom | | | 0 | |
| 2½ in. pots | | 1.00 | 8.00 | |
| Gypsophila repens CREEPING GYP | | | | -0 |
| 2 in. pots | | .30 | 2.50 | 18.00 |
| Hedera helix English Ivy | | | 6 | |
| 4 in. pots | | .75 | 6.00 | |
| Helwingia japonica | | | 9 | |
| | | 1.00 | 8.00 | |
| Helianthemum Sun Rose, and na | | | 3 | |
| 3 in. pots | | 1.00 | | |
| alyssoides No. 1623 | • | | | |
| appeninum No. 15. | | | | |
| chamaecistus No. | | | | ge pink |
| strami | ineum 1 | | | |
| - | | | yellow | |
| pilosu | m purpi | ireum | No. 1 | 5443 |
| polifol | ium N | 0. 162 | 34 | |
| pulver | ulentun | ı No | . 16227 | |
| | latum | | | |
| | ile No | | | |
| | | _ | | hite |
| vulgar | i No. | | | |
| a in note | varie | | No. 1 | 5449 |
| 2 in. pots | • • | .60 | 5.00 | |
| Heuchera sanguinea | | | | |
| 3 in. pots | | .50 | 4.50 | |
| Hypericum buckleyi Mountain S | T. JOHN | SWOF | | |
| 21 in. pots | | .60 | 5.50 | |
| calycinum Rose of Si | | | | |
| 21 in. pots | | .40 | 3.00 | 25.00 |
| | | | | |

| Each 10 Iberis sempervirens Hardy Evergreen Candytuft 2 in. pots | \$16.00 18.00 CUFT |
|---|--------------------------|
| 2 in. pots | \$16.00 18.00 CUFT |
| 2½ in. pots | 18.00 CUFT |
| var. Little Gem Compact Evergreen Candyr 2 in. pots | CUFT |
| 2 in. pots | |
| tenoreana Tenore Candytuft 2½ in. pots | 20.00 |
| 2½ in. pots | |
| Jasminum primulinum Primrose Jasmine 3 in. pots | |
| 3 in. pots | |
| Lithospermum fruticosum (prostratum) Shrubby Cro 2½ in. pots | |
| 21 in. pots | MANUTEL I |
| Lonicera henryi Henry Honeysuckle New | MWELL |
| | |
| 3 in. pots | |
| pileata Privet Honeysuckle | |
| This Honeysuckle, also, is evergreen. The growth | of this |
| shrub is somewhat stiff, and spreading, the foliage | 1 to 1 |
| inch long, rather box-like, and bright shining green. | While |
| still a small plant L. pileata is covered with small | |
| | |
| flowers which produce in early autumn beautiful tran | |
| berries of clear light purple. Like L. nitida this shr | |
| not always survive the severe winters of this clim | |
| in southern New England and south and west it is | |
| the most useful and beautiful of the new shrubs. | |
| serve as a specimen shrub in the garden, a shrub f | or rock |
| gardens, or as a low, wide-spreading hedge. | |
| 4 in. pots 1.00 7.50 | |
| Nepeta mussini | |
| 2 in. pots | 18.00 |
| Pachistima canbyi Canby Pachistima | |
| 2 ¹ / ₄ in. pots 3 yr | |
| Pachysandra terminalis Japanese Pachysandra | |
| 2 in. pots \$110 per M .25 1.50 | |
| 2 in. pots \$125 per M .35 2.50 | 16.00 |
| Papaver Gerald Perry Apricot pink | |
| 3 in. pots | |
| Lord Lambourne New, bright scarlet | |
| 3 in. pots 1.50 | |
| Mahoney Queen Carmine purple | |
| 3 in. pots | |
| Mrs. Perry Salmon-rose 3 in. pots | |
| 3 in. pots | |
| 3 in. pots 1.00 | |
| | |
| Princess Victoria Louise Soft salmon rose | |
| Princess Victoria Louise Soft salmon-rose | |
| 3 in. pots 1.00 9.00 | |
| 3 in. pots 1.00 9.00 Queen Alexandria | |
| 3 in. pots 1.00 9.00 Queen Alexandria | |

| 101-0100011 12/11115 | -/ |
|---|------|
| Each 10 10 | 00 |
| Phlox subulata alba White Moss | |
| 2 in pots \$.25 \$ 2.50 \$18 | 3.00 |
| var. lilacina Lilac Moss | |
| 2 in. pots | 3.00 |
| subulata var. G. F. Wilson LAVENDER MOSS | |
| 2 in. pots | 3.00 |
| vivid Pink Moss | |
| | 0.00 |
| Potentilla tridentata Wineleaf Cinquefoil | |
| | .00 |
| Pyracantha coccinea Scarlet Fire Thorn | |
| 10 to 14 in. 4 in. pots 2.00 | |
| Rosa Alberic Barbier | |
| 4 in. pots 1.25 10.00 | |
| American Pillar Climber of strong growth with r glossy foliage and huge clusters of large, cherry-colo | ich |
| flowers | reu |
| 4 in. pots | |
| Arnold Dawson hybrid. Rugosa. It is a stout by | ush |
| with good foliage and large, bright red, single flower | S |
| 3 in. pots 2.50 | |
| 4 in. pots 3.00 | |
| bella Solitary Rose | |
| 3 in. pots 2.00 | |
| Betty Blossom Dawson hybrid, climbing rose, glo | ssy |
| foliage and large delicate pink flowers, early, flower | ing |
| just before Dr. Van Fleet | |
| 3 in. pots 1.75 4 in. pots 2.00 | |
| Blanc de Coubert Immense fragrant, pure white flow | rarc |
| 4 in. pots 1.25 10.00 | CIS |
| Caudata It is a large, strong-growing hardy shrub w | rith |
| stout arching stems, dark green leaves, and flowers | two |
| inches in diameter, in wide clusters, each containing fr | om |
| twenty to twenty-five flowers which are pale pink | |
| 3 in. pots | |
| Crimson Rambler | |
| 4 in. pots | |
| Dawson A Dawson hybrid climber of rambler ha | bit. |
| Flowers semi-double deep pink in large clusters. Ea | ırıy |
| 4 in. pots XX strong | 5.15 |
| Daybreak A Dawson hybrid. Climber with glossy if | |
| age and large clusters of single deep salmon pink flers in July | OW- |
| 4 in. pots 1.00 7.50 | |
| Dorothy Perkins Climber with glossy foliage and c | lus- |
| ters of late-blooming, deep-pink, double flowers | |
| 4 in. pots | |
| Dr. Van Fleet Strong growing climber with glossy f | oli- |
| age and large double shell pink flowers in early July | |
| 4 in. pots 1.15 | |
| ecae Eca Rose For June shipment only | |
| 3 in. pots 2.00 | |

| POT-GROWN PLANTS. |
|---|
| Each 10 100 |
| Excelsa Climbing wichuraiana hybrid bearing clusters |
| of double brilliant red flowers late in season |
| 4 in. pots \$1.00 \$ \$ |
| Harrison's Yellow Old-fashioned yellow Rose |
| 2 in nots |
| 3 in. pots 1.35 10.00 4 in. pots 1.50 |
| Helenae Helen Rose. Shrub with slender branches |
| and large clusters of pure white fragrant flowers. Consid- |
| ered by the Arnold Arboretum one of the handsomest of |
| ered by the Arnold Arboretum one of the handsomest of all roses brought from China by Mr. Wilson |
| 3 in. pots 2.00 |
| 3 in. pots 2.00 4 in. pots 2.50 |
| hibernica grovesi Irish Rose. Single flowered pink |
| rose closely related to the Scotch Rose |
| 3 in. pots 1.25 |
| 4 in. pots 1.50 |
| 3 in. pots |
| stems covered in early spring with single clear vellow |
| stems covered in early spring with single clear yellow flowers before the foliage appears |
| 3 in. pots 1.75 15.00 |
| 3 in. pots 1.75 15.00 4 in. pots 2.00 17.50 |
| Jacki Low growing or trailing rose from Korea with long-pointed glossy foliage, and large clusters of white |
| long pointed glossy foliage, and large clusters of white |
| flowers with yellow centers. Blooms late |
| 4 in. pots 2.00 |
| Lady Duncan A Dawson hybrid, semi-climber, with rich |
| green rugosa-like foliage, and large clear salmon-pink |
| green rugosa-like foliage, and large clear salmon-pink flowers, blooming in late June. Absolutely free from |
| injurious pests |
| 3 in. pots 1.50 13.50 4 in. pots 1.75 15.00 |
| 4 in. pots 1.75 15.00 |
| Lady Gay Pink climber much like Dorothy Perkins |
| 4 in. pots |
| Minnie Dawson Dawson hybrid. Rambler of the Daw- |
| son habit, the flowers small double white borne in large |
| clusters |
| 4 in. pots 1.75 Mme. Plantier Pure white, very free bloomer |
| Mme. Plantier Pure white, very free bloomer |
| 3 in. pots 1.25 10.00 |
| 4 in. pots 1.50 12.50 |
| micrantha |
| 3 in. pots 1.75 16.00 |
| 4 in. pots 2.50 22.00 |
| moyesil Moyes Rose. Tall shrub of loose growth, |
| with large pointed foliage and small deep red flowers, |
| 3 in. pots 1.75 16.00 4 in. pots 2.50 22.00 moyesii Moyes Rose. Tall shrub of loose growth, with large pointed foliage and small deep red flowers, followed by long orange-red fruits. Introduced from China |
| Dy E. II. WIISOII |
| 3 in. pots 1.75 |
| 4 in. pots 2.00 |
| multibracteata An attractive plant with small leaves and |
| small flowers in cluster, clear pale pink, single |
| 3 in. pots 2.00 |
| multiflora catheyensis CATHAY ROSE. The pink multi- |
| flora from China |
| 3 in. pots |
| |

| | 101 | -010 | , , , , | L | 211 20 | • | 19 |
|-----------|-------------------|------------------|----------|---------|----------|------------|---------|
| | | | | | Each | 10 | 100 |
| Rosa omie | nsis Mo | UNT OM | EI RO | SE | | | |
| 4 | in. pots | | | | \$2.00 | \$ | \$ |
| Pauli | ne Dawsoi | 1 A Da | awson | hybrid | climber | r or pilla | ar rose |
| of goo | d foliage | and la | rge sir | igle de | ep pink | flowers | |
| 3 | in. pots | | | | 1.25 | 10.00 | |
| 4 | in. pots | | | | 1.50 | 13.00 | |
| Paul' | s Scarlet | Climber | r | | | | |
| 3 | in. pots | | | | 1.25 | 10.00 | |
| 4 | in. pots | | | | 1.50 | 12.50 | |
| Persi | an Yello | w | | | | | |
| 3 | in. pots | | | | 1.25 | 10.00 | |
| 4 | in. pots | | | | 1.50 | 12.50 | |
| | y Pure | | | | | | |
| 3 | in. pots | | | | 1.25 | 12.50 | |
| 4 | in. pots | | | | 1.50 | 12.50 | |
| rugos | a repens | alba C | Climbin | g or ci | eeping | white-flo | wered |
| rugosa | hybrid, | with gl | ossy fo | liage | and lar | ge star-s | shaped |
| white | flowers | | - | _ | | _ | • |
| 3 | in. pots | | | | 1.25 | 10.00 | |
| 4 | | | | | 1.50 | | |
| Sarge | nt Daw | son hyb | rid, ser | ni-doul | ole pink | | |
| 4 | in. pots | | | | 1.50 | | |
| Seash | ell Daw | son hy | brid. | Climb | er whi | ch has | glossy |
| foliage | and lar | ge clust | ers of | large | semi do | uble pin | k flow- |
| | ooming i | | | | | • | |
| 4 | in. pots | | | | 1.50 | | |
| Silver | Moon (| Climber | with g | glossy | rich fol | iage and | large |
| single | cream w | hite flo | wers, b | loomin | g in Ju | ly | |
| 4 | in. pots | | | | 1.00 | 7.50 | |
| spino | sissima | Scotch | Briar | | | | |
| 3 | in. pots | | | | 1.25 | 10.00 | |
| 4 | in. pots | | | | 1.75 | 15.00 | |
| | v | ar. altai | ica A | LTAI F | COSE C | ream wh | iite |
| 3 | in. pots | | | | 1.75 | 16.00 | |
| 4 | in. pots | | | | 2.00 | 18.00 | |
| | v | ar. cest | iflora | single | sulphui | ryellow | |
| 4 | in. pots | | | | 2.00 | 18.00 | |
| | V | ar. Dom | inie Sa | mpson | semi-d | ouble, so | ftpink |
| 3 | in. pots | | | | 1.75 | 16.00 | ^ |
| 4 | in. pots | | | | 2.00 | | |
| | , | ar. Fulg | rens | | | | |
| 3 | in. pots | | | | 1.75 | 16.00 | |
| 4 | in. pots | | | | 2.00 | | |
| · | - | ar. Iris | | | | | |
| 3 | | | | | 1.75 | 16.00 | |
| 4 | in. pots in. pots | | | | 2.00 | 18.00 | |
| 4 | | | | | | | |
| 4 | | ar. Jupi | | | | 18.00 | |
| 4 | in. pots | | | | 2.00 | | |
| | | ar. Kin ş | | | | | |
| 4 | in. pots | | | | 2.00 | 18.00 | |
| | V | ar. Lad | y Baell | | | | |
| | i | | | | | shipmer | nt only |
| 3 | in. pots | • • . • • | •, • • | | 2.50 | | |
| | | | | | | | |

| Rosa spinosissima var. Plato clear red | ach | 10 | 100 |
|--|--------------|--------------|--------|
| 3 in. pots | 1.75 | \$16.00 | \$ |
| var. Pythagoras semi-d | | light n | ink |
| | | deep pi | |
| Tausendschon Climber, Good foli | age. 1 | | large. |
| Tausendschon Climber. Good folishell pink fading to white. Late blood in. pots | omer. | July 6.00 | |
| William C. Egan A Dawson hybrid, | climb | | good |
| foliage and large very double pink fl- | owers. | Late | June |
| | 1.00 | 7.50 | |
| xanthina Korean Rose, single. | | sh rose | , new, |
| from northern China, with yellow flow | wers | | |
| 4 in. pots | 2.50 | | |
| KOREAN ROSE, double yel | | | |
| | 2.50 | | |
| We have also a large collection of field | ld gro | wn Ros | ses |
| Sedum acre Goldmoss | | | |
| 21 in. pots | .30 | 2.50 | 18.00 |
| dasyphyllum Leafy Stonecrop | | | |
| $2\frac{1}{2}$ in. pots | .40 | 3.60 | |
| hispanicum Spanish Stonecrop | gray | foliage | • |
| $2\frac{1}{2}$ in. pots | .30 | 2.50 | 20.00 |
| sarmentosum Stringy Stonecro | P | | |
| $2\frac{1}{2}$ in. pots | .30 | 2.50 | 18.00 |
| sieboldii Siebold Stonecrop | | | |
| 2 in. pots , | ∙35 | 3.00 | 25.00 |
| Silene maritima SEA CATCHFLY | | | |
| 2 in. pots | .30 | 2.50 | 18.00 |
| Stellaria holostea Easterbells | | | 0 |
| 2 in. pots | · 3 5 | 2.50 | 18.00 |
| Thymus serpyllum Mother-of-Thyme | | | - 0 |
| 2½ in. pots | .30 | 2.50 | 18.00 |
| coccineus Crimson T | | | -0 |
| $2\frac{1}{2}$ in. pots | .30 | 2.50 | 18.00 |
| lanuginosus Woolly | | | -0 |
| 2½ in. pots | .30 | 2.50 | 18.00 |
| Vaccineum vitis-idaea minor Mountain | | | 40.00 |
| 3½ in. pots heavy | .85 | 6.00 | 50.00 |
| Veronica rupestris Rock Speedwell | ao. | 0.50 | 18.00 |
| 2½ in. pots strong | .30 | 2.50 | 10.00 |
| var. rosea | 25 | 2.00 | 25.00 |
| 2½ in. pots | | 3.00 | 25.00 |
| Vinca alba 2 years WHITE COMMON PI | | | |
| 2½ in. pots | .40 | 3.50 | |
| minor 2 years Common Periwin 21 in. pots \$120 M | .25 | 2.00 | 15.00 |
| Viola cornuta alba | .25 | 2.00 | 13.00 |
| 3 in. pots | 25 | 3.00 | |
| Jersey Gem | -35 | 3.00 | |
| 3 in. pots | .25 | 3.00 | |
| J III. POLS | -35 | 3.00 | |
| | | | |

TREES, SHRUBS AND VINES

| IREES, SHRODS | | AWI | 1120 |
|---------------------------------------|------------|---------|-------|
| | Each | 10 | 100 |
| Acer platanoides Norway Maple | | | |
| 14 to 18 ft. 4 to 6 in. cal. | | | |
| 17 10 10 11 11 10 0 11. 011. | to \$30.00 | * | \$ |
| | | 11-2 | 1/P |
| Actinidia arguta Bower Actinidia | | | |
| 2 to 3 ft. 5 yr. XX stron | | | |
| This is one of the very best vi | nes, for q | uick gr | owth, |
| for clean luxurious foliage, and for | r growing | in shad | e. |
| Ampelopsis quinquefolia VIRGINIA | CREEDER | | |
| 3 yr | 40 | 3.50 | 30.00 |
| Andromada anadaga Cas Zanahia m | | 3.30 | 30.00 |
| Andromeda speciosa See Zenobia p | | | |
| Aristolachia sipho Dutchman's Pi | | | |
| large specimens | . 3.00 | | |
| Azalea arborescens Sweet Azalea | L. | | |
| 2 to 21 ft. bushy | . 3.00 | 27.00 | |
| 2½ to 3 ft. bushy | 4.00 | 38.00 | |
| dahuricum Siberian Azali | | | |
| 2 to 2½ ft. B & B | | | |
| | . 3.30 | | |
| kaempferi Torch Azalea | | | |
| 15 to 18 in. B & B | | 33.00 | |
| it to 2 ft. B & B | . 4.50 | 42.00 | |
| 2 to 2½ ft. B & B | . 0.00 | | |
| lutea (calendulaceae) FLAME | AZALEA | | |
| 1½ to 2 ft. B & B | | 28.00 | |
| 2 to 2½ ft. B & B | 4.00 | 38.00 | |
| mucronulatum Mongolian | AZALEA | | |
| 12 to 15 in | . 3.50 | | |
| 15 to 18 in | | | |
| 1½ to 2 ft | . 5.00 | | |
| poukhanensis Korean Azai | LEA | | |
| 10 to 12 in. bushy | 3.50 | | |
| 10 to 12 in. bushy 12 to 15 in | | | |
| 15 to 18 in | 5.00 | | |
| vaseyi Pinkshell Azalea | , ,,,,, | | |
| | 2.50 | 20.00 | |
| | | 20.00 | |
| | | 40.00 | |
| Berberis thunbergi Japanese Bari | | 0 | |
| 12 to 15 in | | 2.80 | 18.00 |
| 15 to 18 in | 40 | 3.50 | 28.00 |
| 1½ to 2 ft | | 4.80 | 36.00 |
| Calycanthus floridus Common Swe | | | |
| 2 to 2½ ft. heavy | 60 | 5.00 | |
| Celastrus articulatus American Bi | | , | |
| 3 to 4 ft. extra bushy. | | 5.00 | 40.00 |
| Cercidiphyllum japonicum Kadsur. | | 3 | 4 |
| | | | |
| | | | |
| Chionanthus virginica White Frie | | 0 | |
| 4 to 5 ft. XX bushy spec | | 18.00 | |
| 5 10 0 11. | 2.50 | 22.00 | |
| 6 to 7 ft | | | |
| Clematis paniculata Sweet Autum | N CLEMATI | S | |
| 3 yr. strong | 60 | 4.50 | |
| Clethra alnifolia Summersweet | | | |
| | 45 | 4.00 | |
| 2 to 3 ft. bushy | 50 | 4.50 | |
| , , , , , , , , , , , , , , , , , , , | | | |
| For prices see near | 00 11 1 | 9 | |

| 22 TR | EES, | SHRUE | S AN | D V. | INES. | |
|--------------|-----------|---------------|-------------|---------|------------|----------|
| | | a 5 | | Each | 10 | 100 |
| Cornus pani | | | | | | |
| 3 | to 4 f | | | | | \$ 38.00 |
| • | to 5 f | | | .80 | 7.00 | 60.00 |
| , | | t | | 1.00 | 9.00 | 70.0 |
| | to 8 f | | | 1.25 | 10.00 | 90.0 |
| | | utea Yeli | | | | |
| 9 | | t | | .60 | 5.00 | |
| Cotoneaster | | | | | ER | |
| 1 1 | to 2 f | t | | .60 | 5.00 | |
| 2 | to 3 1 | t. XX bush | y | -75 | 6.00 | |
| | rotunalio | olia (Wheele | | NDLEA! | | ASTER |
| | to 18 ii | | | .60 | 5.00 | |
| | | t | | .75 | 7.00 | |
| Cratacgus a | | | o's HAWT | | | |
| | to 9 f | t. cut back e | x. bushy | | | |
| | to 10 f | t. " | - " | 10.00 | | |
| | to 11 f | L. | " | 12.00 | | |
| | to 12 f | ι. | | 15.00 | | |
| This is | one of | f the rares | t and mo | ost bea | autiful of | all |
| Hawthorn | s. It l | has large v | white flow | ers in | early spi | ring. |
| | | trees offer | | | | |
| | | | | | | |
| | | e scarlet f | | | | |
| ber, and, | later, t | he substan | itial leave | es turn | a beau | tiful |
| | | tiful small | | | | |
| | | nting in gr | oups on t | he edg | ges of wo | ods, |
| or near t | | | | | | |
| Enklanthus | campan | ulatus Re | DVEIN EN | KIANT | HUS | |
| 15 | to 18 in | t. bushy . | | 1.75 | 13.75 | |
| | | | | 2.00 | 17.50 | |
| Euonymus a | alatus \ | Winged Et | JONYMUS | | | |
| 8 | to 12 f | t. bushy . | 6 to | 8.00 | | |
| Forsythia in | termedia | a Border | FORSYTE | HIA | | |
| | | primulina | Primre | ose Fo | RSVTHIA | |
| 2 | to 3 f | t | | 1.00 | | |
| | to 4 fi | t | | 1.50 | | |
| _ | | | | _ | | |
| | | ALBANIAN | | | | |
| - | | t | | | | |
| - | | SHOWY I | | | HIA | |
| | - | t | | 1.25 | | |
| SI | ispensa | WEEPING | FORSYTH | | | |
| 2 | to 3 f | | | .50 | 4.00 | |
| 3 | to 4 fi | t | | .55 | 4.50 | |
| | | fortunei | FORTUNE | FORSY | THIA | |
| 2 | to 3 ft | t | | .50 | 4.00 | |
| 3 | | t | | .60 | 5.00 | |
| vi | ridissim | a GREENS | | SYTHIA | A . | |
| | | | | .50 | 4.00 | |
| Hamamelis | | | | - | | |
| | to 8 f | t. XX bush | V WIICH | 2.00 | and a | |
| | to 12 f | | | | | |
| | | | flower Car | 3.00 | Iven | 7.4 |
| Hydrangea | arburesc | cus grandi | nora SM | OOTH | | EA |
| 1 1/2 | | t | | | 5.00 | |
| | | ata grandif | | | | EΑ |
| | 18 ir | 1 | | .60 | 5.50 | |
| | | | | | | |

| TREES, | SHKUBS | AND | VI. | NES. | 23 |
|----------------------|-----------------------|----------|---------|-------------------|----------------------------------|
| - | | | Each | 10 | 100 |
| Hypericum aureum | COLDEN ST | | | | |
| 2 to 2 f | t | JOHN S | 60 | \$ 5.00 \$ | |
| Ilex verticillata Co | | | | ρ 3.00 φ | |
| to 4 f | t · · · · | KBEKKY | T 000 | 8.50 | |
| 3 to 4 fi | | | | 0.30 | |
| rit to 2 f | AMUR KIVI | LK FRIV | ET | 2.00 | 25.00 |
| 2 to 3 f | t | | 48 | 3.00 3.50 | 2 5 .00 3 0 .00 |
| A hardy Privet | with the hab | it of Ca | aliforn | ia Prive | 30.00 |
| | BOTA: PRIVET | | | | |
| | t. bushy | | .40 | 3.00 | 25.00 |
| | t | | .45 | 3.50 | 30.00 |
| | gelianum Rec | | | 3 3 | 9 |
| | | | | 4.00 | |
| 21 to 3 f | ı t | | .75 | 7.00 | |
| | um Californ | | | | |
| 1 to 2 f | t | | .20 | 1.50 | 10.00 |
| 2 to 3 f | t | | .25 | 2.00 | 15.00 |
| | t | | ⋅35 | 3.00 | 25.00 |
| Lonicera japonica h | alleana Hali | JAPAN | ESE H | ONEYSUC | KLE |
| 4 yr | s. XX heavy . | | -75 | 6.00 | |
| | wi floribunda | | | | |
| | Broad | D BLUE | LEAF | Honeysu | JCKLE |
| 2 to 3 f | t | | 1.25 | 10.00 | |
| | MUR HONEYSU | | | | |
| 4 to 5 f | t. extra heavy | | 00.1 | 9.00 | |
| Malus arnoldiana | ARNOLD CRAB | | | | |
| 2 to 3 f | t | | 4.00 | | |
| coronaris W | ILD SWEET C | RAB | | | |
| 3 to 4 f | t | | 4.00 | | |
| floribunda J | APANESE FLOV | VERING | Crab | | |
| | t | | 3.00 | | |
| floribunda at | rosanguinea (| CARMIN | e Cra | В | |
| 4 to 5 f | t. • • • • • • | | 4.00 | | |
| halliana park | manni Parki | MAN CR | AB | | |
| 3 to 4 f | t. tr. pl. 1921 . | | 4.00 | | |
| | BEGHTEL CR | | | | |
| 3 to 4 f | t | | 3.00 | | |
| sargenti Sai | RGENT CRAB | | | | |
| | t | | 3.00 | | |
| | t | | 5.00 | | |
| | t | | 7.50 | | |
| sieboldi caloc | arpa Toring | O CRAB | | | |
| | t | | 5.00 | | |
| | HINESE FLOW | | | | |
| | t | | 3.75 | | |
| • | t | | 5.00 | | |
| | r. riversi rosea | | | | |
| | E PINK CHINE | | | IG CRAB | |
| | t | | 0.00 | | |
| | Cutleaf Cra | | | | |
| 2 to 3 f | t | | 3.00 | | |

| Myrica car | olinencis | Non | THEDN | RAVE | Each | 10 | 100 |
|--------------|-----------|-----------|-----------|---------|--------|---------|---------|
| IIJIICA CAI | to 15 i | n. bush | V | DAIDI | \$.50 | \$ 4.00 | 8 |
| Philadelphi | is coron | arius | SWEET | Mock | ORAN | GF. | • |
| 3 | to 4 | ft | | | .50 | 4.00 | |
| 4 | to 5 | ft | | | .60 | 5.00 | |
| | - | eri St | AR Mo | OCK OR | ANGE | | |
| 3 | to 4 | | | | | | |
| _ | grand | florus | Big S | CENTLI | ess Mo | CK OR. | ANGE |
| 2 | to 3 : | ft | | | .50 | 4.50 | |
| | satsu | manus | SATSU | лиі Мо | оск О | RANGE | |
| 2 | to 3 | [t | | | -75 | | |
| 3 | to 4 | | | • • • • | 1.00 | | |
| | Splend | | | | | | |
| 3 | to 4 i | | | | .75 | | |
| 18 | to 24 i | | | | 1.00 | 9.00 | |
| 2 | to 3 | | | | 1.25 | 9.00 | |
| Photinia vi | | | ous Ph | OTINIA | | | |
| | | | | | 2.50 | | |
| Potentilla f | ruticosa | veitchi | VEIT | CH WE | HTE C | INQUEF | OIL |
| т8 | to 24 i | n. bust | ıv | | 1.00 | 7.50 | |
| r | arvifolia | PUR | DON D | еер Үе | LLOW | CINQUE | FOIL |
| 15 | to 18 | in | | | -75 | 6.00 | |
| 18 | | in | | | 1.00 | | |
| 2 | _ | Et | | | 1.25 | 10.00 | |
| | | var. pu | | Liour | Verr | OW CIN | QUEFOI |
| 18 | to 24 i | | | | | | QUEFUII |
| | to 30 i | | | | | 13.50 | |
| | hite and | | | | | | arming |
| shrubs o | | | | | | | |
| with deli | | | | | | | |
| | | | | | | | |
| tiny rose | | | | | | | |
| frost. A | | | | | | | pery or |
| for the r | | | | | | | |
| Prunus ser | rulata sa | chalin | ensis (| SARGE | NT) Y | ама Сн | ERRY |
| 5 | to 6 | t. tr. 10 |)22 . | | 5.00 | 45.00 | |
| 7 8 | to 8 | t spec | . tr. 192 | 1 | 22.50 | | |
| 12 | to 15 | to Spec | | | 22.70 | | |
| | | SPOC | | 35 | to 60 | | |
| | Du | g with | platfor | m and | canva | S | |
| | Sc | hnee | JAPANI | ESE CH | ERRY | Single | white |
| 4 | to 5 | ft | • • • | | 7.50 | J | |
| | 8 | ft. spec | | | 35.00 | | |
| | | | la Hi | | IERRY | | |
| 4 | | | | | 5.00 | | |
| Ś | | ft | | | 7.50 | | |
| | to | mentos | a NA | NKING | CHER | RY | |
| 3 | | | a heavy | | | | |
| | | | FLOWE | | PLUM | | |
| | | ft | | | 1.00 | | |

| | Each | 10 | 100 |
|--|-----------------------------|-------------------------------|--------------------|
| Rhodotypos kerrioides Jelbead I to 1½ ft | \$ 50 | 4.50 | 40.0 0 |
| Rhus aromatica Fragrant Sumach | | 4.50 | 40.00 |
| Rosa American Pillar Climber of struglossy foliage and huge clusters of | .85 ong gro of large, | 7.00 wth wis | th rich colored |
| flowers 2 yr | .75 | 6.00 | |
| 2 to 3 ft. XX str 3 to 4 ft | 1.00 | | |
| Apple Blossom Dawson hybrid S | 1.00 | | |
| Blanc Double de Coubert Hybrid growth, rich foliage, and pure dou 2 to 3 ft | ble whi | te flowe | rs |
| Christine Wright Climbing Pink 18 to 24 in | 1.50 | 13.50 | |
| Crimson Rambler Old fashioned of crimson semi double flowers in lat | limbing e June •75 | and earl 6.00 | ly July. |
| Cynthia E. Hollis Dawson hybrid 2 to 3 ft | 2.50 | ouble pi | nĸ |
| Dawson A Dawson hybrid clim Flowers semi-double, deep pink in | ber of large c | lusters. | Early |
| Daybreak A Dawson hybrid. A foliage and large clusters of sin flowers in July | A climb gle dee | er with p salmo | glossy n pink |
| 3 yr | ·75 | 6.00 9.00 | 50.00 |
| Dorothy Perkins Bright Pink Ran | nbler | 6 - 0 | |
| Dr. Van Fleet Strong growing cli age and large double shell pink fl 3 to 4 ft | mber wi owers i | n early | July |
| Excelsa Climbing wichuraiana h of double brilliant red flowers late | e in sea | son | clusters |
| 2 yr.strong 2 to 3 ft. XX strong 3 to 4 ft. XXX strong Gruss au Tepletz Red Hybrid Te | 1.25 | 6.00 9.00 10.00 | |
| 2 yr. strong Harrison's Yellow Old-fashioned | 1.00 | 9.00 Rose | |
| 2 to 3 ft. 3 yr. strong | 1.25 | | |
| Hiawatha Climber, single scarlet to 3 ft | flowers -75 1.00 | 6.co 9.oo | center |
| Lady Duncan A Dawson hybrid, green, rugosa-like foliage, and lar flowers, blooming in late June. injurious pests 3 yr. str. plants | ge clea Absolu | r, salmo | on-pink |
| Lady Gay Pink climber much lik | e Doro | | |
| 2 yr | -75 | 6.0 0 9.00 10.00 | 50.00 |

| Each 10 100 |
|--|
| Rosa lucida Virginia Rose A wild rose bush, with single, |
| pink flowers |
| 2 to 2½ ft \$.55 \$ 4.50 \$ |
| alba A white bush rose |
| 15 to 18 in |
| 15 to 18 in |
| son habit, the flowers small double white borne in large |
| clusters, early in the season. The Dawson and Minnie |
| Dawson are the earliest to bloom of all climbers, flow- |
| ering in our vicinity sometimes in late May, always in |
| early June |
| 2 yr 1.00 9.00 2 to 3 ft. XX strong 1.50 12.50 |
| 2 to 3 ft. XX strong 1.50 12.50 |
| 3 to 4 ft. XXX strong 1.75 |
| Mme. Plantier Old-fashioned, double-flowered white rose |
| 2 to 3 ft 1.00 8.50 |
| multiflora Japanese white climbing rose |
| 3 to 4 ft |
| var. catheyensis Cathay rose, a climbing rose |
| with single pink flowers |
| 2 to 3 ft. bushy 1.00 9.00 |
| omiensis Mount Omei Rose A bush rose |
| 18 to 24 in. bushy 1.00 9.00 |
| Paradise A climbing rose with single pink flowers |
| 3 ft 1.25 10.00 |
| Paul's Scarlet Climber New climbing rose with large |
| double clear scarlet flowers |
| 3 to 4 ft. 3 yr 1.50 |
| Pauline Dawson A Dawson hybrid climber or pillar rose |
| of good foliage and large single deep pink flowers |
| 2 to 3 ft. XX strong 1.50 |
| 2 to 3 ft. XX strong 1.50 3 to 4 ft. spec 2.co |
| Persian Yellow Double deep yellow flowers |
| 2 to 3 ft. strong 1.25 10.00 |
| Purity A large-flowered white climber, similar to Silver |
| Moon, but hardier and flowers more freely |
| 2 to 3 ft. 3 yrs 1.50 |
| rugosa repens alba Climbing or creeping white-flowered |
| rugosa hybrid, with glossy foliage and large star-shaped |
| white flowers |
| 2 ft. spread 2.00 |
| Seashell Dawson hybrid Climber which has glossy foli- |
| age and large clusters of large, semi-double pink flowers, |
| blooming in July |
| 1½ to 2 ft. spread 1.25 11.50 |
| setigera Prairie Rose, pink |
| 18 to 24 in |
| Silver Moon A climber, which has single, cream white |
| flowers |
| 18 in 1.00 8.50 3 to 4 ft 1.50 12.50 |
| 3 to 4 ft 1.50 12.50 |
| wichuraiana Wichurian Rose Single white, climbing or |
| creeping with glossy foliage |
| 2 to 3 ft |
| |

| TREES, STROBS AND VINES. 27 |
|---|
| Each 10 100 |
| William C. Egan A Dawson hybrid, climber, with good |
| foliage and large very double pink flowers. Late June. |
| The Egan Rose is one of the very satisfactory climbing Roses. Its foliage is pleasing, and is never attacked by |
| Roses. Its foliage is pleasing, and is never attacked by |
| insects, it does not die back in hard winters, and even |
| when very small it is covered with the large, very double |
| fragrant roses |
| 2 to 3 ft \$1.50 \$12.50 \$ |
| 3 to 4 ft 2.00 15.00 |
| All the Roses listed above are thrifty two to three-year |
| old plants which were planted from pots last spring, and |
| will lift with good roots |
| Hybrid Perpetual and Hybrid Tea Roses We have a limited sup- |
| ply of Hybrid Roses including Paul Neyron, Genenal Jacque- |
| minot, Los Angeles, Pink Druski, Frau Karl Druski, Mag- |
| na Charta, and Mme. Edward Herriott |
| 1½ ft. bushy 1.00 |
| |
| Spiraea ovalifolia (callosa alba) White Japanese Spirea 1 to 1½ ft. bushy 55 5.00 |
| |
| thunbergii Thunberg's Spirea |
| 2 to 3 ft. extra heavy50 4.50 38.00 3 to 4 ft. extra heavy60 5.00 42.00 |
| 3 to 4 It. extra heavy00 3.00 42.00 |
| 4 to 5 ft. extra heavy |
| a to a ft |
| 2 to 3 ft |
| Symphoricarpus (conglomerata) chenaulti |
| 10 to 12 in 1.00 |
| racemosus Common Snowberry |
| 18 to 24 in |
| Symplocos paniculata (crataegoides) ASIATIC SWEETLEAF |
| 1½ to 2 ft 1.50 |
| Syringa japonica Japan Tree Lilac |
| 8 to 10 ft 3.50 |
| vulgaris var. alba Common White Lilac |
| 2 to 3 ft |
| var. Charles X single dark reddish purple |
| 3 to 4 ft 2.25 |
| var. Ludwig Spath Deep reddish purple |
| 2 to 3 ft 1.50 |
| var. Marie Legraye Single white |
| 2 to 3 ft 1.50 12.50 |
| var. Michael Buchner Single deep pink |
| 2 to 3 ft. heavy 1.65 15.00 |
| |
| var. Mme. Lemoine Double white, very fine |
| 2 to 3 ft 1.50 13.50 |
| var. Volcan Large, single dark reddish purple |
| 4 to 5 ft 3.75 |
| var. William Robinson Double Pink |
| 2 to 3 ft. heavy 1.65 15.00 |

| | | - | | | | | |
|------------|---------|------|--------------|-----------|----------|----------|------|
| | | | | | Each | 10 | 100 |
| Ulmus am | ericana | A | MERICAN | ELM | | | |
| 15 | to 18 | ft. | 3 to 4 in | . cal | | | |
| _ | | | | 7.50 to | 10.00 | | |
| gla | bra So | сото | H ELM | | | | |
| 10 | to 12 | ft. | | . 7.50 to | 10.00 | | |
| lburnum/ | canbvi | C. | ANBY VII | BURNUM | | | |
| | | | | | .75 | 6.50 | |
| ŭ | cassino | ides | WITHE | RoD | •75 | _ | |
| 2 | to 3 | ft. | | | .65 | 6.00 | |
| 3 | to 5 | ft. | coll. spe | c. clps. | * 1.50 | | |
| | | | ARROWV | | | | |
| 2 | to 3 | ft. | | | .60 | 5.00 | |
| 3 | to 4 | ft. | | | .75 | 6.50 | |
| | | | LINDEN | | | | |
| 2 | to 2 | ₫ft. | | | 1.75 | 15.00 | |
| | | | | | ERRY BUS | | |
| 2 | to 3 | ft. | | | .65 | 6.00 | |
| | | | DOWNY | | | | |
| 2 | | | | | 1.00 | 0.00 | |
| Zenobia pi | | | | | | | OBIA |
| | | | (121141 0111 | | | D+1 EILI | ODIN |
| - 2 | _ | | | | 5.00 | | |

HARDY HERBACEOUS PERENNIALS

Except where noted 30 cents each, \$2.40 per ten \$18.00 per hundred

25 perennials of one kind are priced at the hundred rate when a hundred rate is listed

| | Each | 10 | 100 | | |
|---|--------|---------|-------|--|--|
| chillea ptarmica "The Pearl" Sneezewort | | | | | |
| | \$.25 | \$ 2.20 | | | |
| Aconitum acutum EARLY ACONITE. | .40 | 3.50 | 25.00 | | |
| Ajuga genevensis Creeping Bugle | | | | | |
| Agrostemma coronaria Rose Campio | | | | | |
| Alyssum saxatile compactum Gold-i | | | | | |
| Anthericum liliago St. Bernard's L | | | | | |
| Aquilegia californica Hybrids | .25 | 2.20 | 15.00 | | |
| canadensis American Col | | 2.20 | 15.00 | | |
| chrysantha Golden Colu | .25 | 2.30 | 15.00 | | |
| coerulea Colorado Colu | | | | | |
| delicatissimum Long-spurre | | e | | | |
| word with the sparre | .25 | 2.20 | 15.00 | | |
| nivea grandiflora Munste | | E COLU | | | |
| <u> </u> | .25 | 2.20 | 15.00 | | |
| Rose Queen Pink, long-spur | | | | | |
| A construction of the Co | .25 | 2.20 | 15.00 | | |
| Arenaria caespitosa Moss Sandword | | | | | |
| Asclepios tuberosa Butterfly Wee | D .35 | 3.00 | | | |
| Aster alpina Rock Aster Climax Tall Blue Aster | | | | | |
| cricoides White Heath Aste | | | | | |
| | | A om | c n | | |
| Novae Angliae rubra Rosy New England Aster Tall, rose pink | | | | | |
| St. Egwyn Bright pink | , | P | | | |
| Astible japonica JAPANESE ASTIBLE | | | | | |
| Baptisia australis WILD-INDIGO | .25 | 2.20 | 15.00 | | |
| Boltonia asteroides White Boltonia | | 2.20 | 15.00 | | |
| latisquama Violet Boltoni | A .25 | 2.20 | 15.00 | | |
| Buddleia magnifica Oxeye Butterf | LY | | | | |
| 2 yrs | .50 | 4.00 | | | |
| Callirhoe involucrata Low Poppy-Ma | | | | | |
| Campanula carpatica Carpathian B | .50 | *** | | | |
| persicaefolia Peachleaf | | | | | |
| persicaciona Peachlear alba Pettic | | | T. | | |
| Centaurea montana Mountain Blue | | 2.20 | | | |
| Cerastium biebersteimi Taurus Cer | | 2.20 | 15.00 | | |
| Coreopsis grandiflora Big Coreopsis | | 2.20 | 15.00 | | |
| Daphne cneorum Rose Daphne | .25 | 2.20 | 13.00 | | |
| 2 yr. clumps | 1.00 | 8.50 | | | |
| • | | - | | | |

| 30 HARDI HERBACEOUS PLANIS | |
|--|--------|
| | 100 |
| Delphineum chinense SLENDER LARKSPUR blue and whi | te |
| var. Blue Butterfly New | |
| hybridum Mountain Larkspur | |
| Bella Donna Light blue | |
| Delphineum hybridum bellamosum | |
| dark blue form of Bellado | onna |
| mixed | 4 |
| Dianthus barbatus Sweet William red, white, pink bea \$.25 \$ 2.20 \$ 1 | uty |
| | 15.00 |
| Dicentra spectabilis Bleedingheart 1.00 9.00 | 13.00 |
| | 15 00 |
| alba Foxglove White | . 5 00 |
| | 15.00 |
| purpurea Common Foxglove | 5 |
| | 15.00 |
| Echinops rito Steel Globethistle | |
| Eryngium amethystinum Amethyst Eringo | |
| Festuca glauca Fescoe Grass Blue | |
| Gaillardia aristata (gr. fl.) Common Perennial Gaillan | RDIA |
| .25 2.20 1 | 15.00 |
| Gillenia stipulata Indian-Physic | |
| Gypsophila paniculata Baby's Breath | 10.1 |
| repens Creeping Baby's Breath | 12 |
| Helianthus mollis var. cordatus 25 | 15.00 |
| Hemerocallis Apricot DAYLILY Yellow | , |
| dumortieri Daylily Early | |
| flava Daylily Lemon | |
| fulva Daylily Tawny | |
| thunbergii Japanese Daylily | |
| Hibiscus hybridus Rosemallow giant pink and white | |
| .50 4.50 | |
| Hosta (Funkia) lancifolia Lanceleaf Plantainlily | |
| Hypericum buckleyi Mountain St. Johnswort | |
| Iberis sempervirens Evergreen Candytuft | |
| var. Little Gem | |
| Dwarf Evergreen Candy | tuft |
| Inula ensifolia Swordleaf Inula | |
| Iris Celeste Blue | |
| Florentina Florentine Iris White | |
| | 5.00 |
| germanica German Iris 25 2.20 | 15.00 |
| Charlotte Patty golden yellow | 7. 1 |
| .25 2.20 1 | 15.00 |
| Erich (Farr's) bright, light violet flushed rose | |
| .75 7.00 | |
| Fairy Queen white, falls veined in blue | |
| .25 2.20 | 15.00 |

| HARDY HERBACEOUS | PL. | ANTS | 31 | |
|---|---------|-----------------|----------|--|
| · | ach | 10 | 100 | |
| Iris Frich (Farr's) Garrick standards light | blue fa | alls a da | ark blue | |
| | .25 | \$2.20 | \$15.00 | |
| Mme. Chereau white, edg | ges of | petals | blue | |
| | .25 | 2.20 | 15.00 | |
| Quaker Lady (Farr's) | | | | |
| s. smoky lavender with | yellov | v shadi | ngs | |
| f. ageratum blue and ol | .50 | | | |
| Rhein nixe (G & K 1910) | .50 | 4.50 | | |
| s. pure white | | | | |
| f, deep violet blue with | | | | |
| | .50 | 4.20 | | |
| kaempferi laevigata Japanese Iris | ·35 | 2.50 | | |
| pallida Dalmatica | .35 | 3.00 | 24.00 | |
| Speciosa | | | | |
| pumila dwarf, deep purple | | | | |
| pseudacorus Yellow Flag | | | | |
| siberica Siberian Iris | | | | |
| alba Siberian Iris White | | | | |
| | .25 | 2.20 | 15.00 | |
| orientalis Oriental Iris | .25 | 2.20 | 15.00 | |
| Snow Queen Oriental Iris | Wh | ite | | |
| | .25 | 2.20 | 15.00 | |
| Liatris spicata Spike Gayfeather | | | | |
| Linum perenne Perennial Flax | | | | |
| Lipachys pinnata Yellow Cone Flower | | | | |
| Lupinus polyphyllus Washington Lupin | E W | hite, bl | ue, pink | |
| Lysimachia nummularia Moneywort | | | | |
| vulgaris Golden Loosestri | FE | | | |
| Lythrum salicaria Purple Loosestrife | | | | |
| Nepeta Mussini | | | | |
| Oenothera fruticosa youngi Youngs Sun | DROPS | 3 | | |
| Paconias mixed large clumps | .60 | 5.50 | | |
| Phlox amoena Dwarf Phlox | .25 | 2,20 | 15.00 | |
| paniculata Albion white with pink e | eye | | | |
| | .25 | 2.20 | 15.00 | |
| Antoine Mercie pale lilac, whi | te sta | r in cen | ter | |
| Aurora Borealis Salmon scarl | | | | |
| B. Comte Rich, dark crimson | red, la | at e blo | oming | |
| Bridesmaid White with large | rosy o | center | | |
| Cyclone white, dark carmine | eye | | | |
| Czarina fine white, tall and la | te | | | |
| Eclaireur deep carmine, rosy | salmo | on cent | er | |
| Ettas Chorse pure white | | | | |
| F. G. Van Lastburg large flow | vers. | white | | |
| Hermione dwarf white, large flowers | | | | |
| H. 0. Wijers white, with large red eye. Low | | | | |
| Independence white, medium, early | | | | |
| Jean d'Arc tall, late, white | | | | |
| Mme. Pape Carpentier white, | large | flowers | , low | |
| | | | | |

Mrs. Cook tall, soft magenta pink, very late Richard Wallace white, deep crimson eye Saison Lierval white, with light pink eye Widor bright reddish violet, large white center William Muhle Bright pink, tall, late subulata Moss Pink \$.25 \$ 2.20 \$ 15.00 alba White Moss lilacina Lilac Moss .25 2.20 var. G. F. Wilson LAVENDER MOSS var. Vivid PINK Moss Physostegia virginica FALSE DRAGONHEAD Platycodon grandiflora BALLOONFLOWER Polemonium reptans CREEPING POLEMONIUM Rudbeckia purpurea Hedgehog-Coneflower Salvia azurea grandiflora GREAT AZURE SAGE Sedum acre Goldmoss lydium roseum LYDIAN STONECROPE

10

2.20

100

Each

sarmentosum Stringy sexangulare Hexagon spectabilis Showy

15.00 stoloniferum Running Sempervivum globiferum GLOBE HOUSELEEK 2,20 15.00 large clumps .50 tectorum ROOF HOUSELEEK 15.00

.25 2.20 large clumps .50

Silene maritima SEA CATCHFLY Statice latifolia BIGLEAF SEA LAVENDER . Stellaria holostea EASTERBELLS Thymus serpyllum Mother of Thyme coccineum CRIMSON THYME

lanuginosus Woolly Thyme Tradescantia virginiana VIRGINIA SPIDERWORT

Tunica saxifraga Saxifrage Tunicflower Vernonia noveboracensis Common Ironweed Veronica alpestris See V. serpilifolia

gentianoides GENTIAN SPEEDWELL rupestris Rock Speedwell var. pink

spicata Spike Speedwell var. Maxima TALL SPEEDWELL



HOW TO REACH OUR NURSERIES

By train: Take train from South Station, Boston, or from Worcester and other points west, to Framingham. From Framingham, take train or electric car to Holliston. Upon being notified we will be glad to meet at Holliston any persons desiring to visit the Nurseries. Telephone Natick 345.

By motor: From Boston the best route is via Newton, Wellesley, South Natick; from South Natick take Elliot Street, to Main Street, Sherborn, thence Main Street, Goulding Street, Mill Street, Fiske Street to the Nurseries.

From Worcester take main route to Framingham, from Framingham follow the street car track to Holliston Centre, turn sharp to left up Central Street, thence Fiske Street to the Nurseries.